Gary M. Annunziata, D.O., F.A.C.P / Anh T. Duong, M.D.

SUPREP with Dulcolax Bowel Preparation for Colonoscopy

Your (Colonoscopy has been scheduled for Mirage Endoscopy Center Dolores Hope Building, Firs		please proceed to the:
The c	lay before procedure		
•	Have clear liquids for breakfast, lunch and dinner water all day to maintain hydration** At 3:00 p.m. take 4 (four) dulcolax tablets At 5:00 p.m. pour ONE 6-ounce bottle of SUPREF Add cool drinking water to the 16-ounce line on Drink ALL the liquid in the container. You MUST drink two (2) more 16-ounce container consume more clear liquids of your choice if des At 10:00 p.m. you will repeat the above steps to You may continue your clear liquid diet until mid	P liquid into the mixin the container and mix ers of water over the ired. mix the additional SU	g container. x. next 1 hour. You may
The d	ay of the procedure:		
1) 2)	A friend or relative must accompany you to drive and, Please have nothing by mouth after midnight, unless y clear liquids until	your procedure is late in	n the day, you may continue with

Clear Liquid Diet

- ✓ Water
- ✓ Tea (caffeinated or decaf)
- ✓ Carbonated beverages-Coke, Diet Coke, Pepsi, Dr.Pepper, Sprite, etc....
- ✓ Gatorade (NO red or purple)
- ✓ Clear fruit juices –Apple, white grape, white cranberry, lemonade
- ✓ Clear beef or chicken broth, consommé
- ✓ Coffee (NO cream or milk) , you may add sugar or sugar substitute
- ✓ Clear hard candy
- ✓ Jell-O NO red or purple, no added fruit
- ✓ Popsicles NO red or purple, no added fruit.